

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

1 - General		POC: Melissa Lowlavar, 334-255-1653, melissa.g.lowlavar3.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
<i>General Documentation</i>						
1a.	Has the Environmental Officer been appointed on written orders as specified in AR 200-1?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Army Regulation 200-1, 1-28.f. <i>Appoint and train environmental officers at appropriate organizational levels to ensure compliance actions take place (see FM 3-34.500 for environmental officer responsibilities).</i>
1b.	Has the Environmental Officer attended training as specified in AR 200-1?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1c.	Are all training activities, construction/renovation projects, and any proposed contracting actions submitted for NEPA review prior to initiating the activity?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		32 CFR 651.1 (b). <i>This part requires environmental analysis of Army actions affecting human health and the environment; providing criteria and guidance on actions normally requiring Environmental Assessments (EAs) or Environmental Impact Statements (EISs), and listing Army actions that are categorically excluded from such requirements, provided specific criteria are met.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

2 - Oil & Material Storage		POC: Julie Majors, 334-255-1657, julie.p.majors.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
2a.	Have inspections been completed monthly for new products?					SPCC Plan Section 5.7. <i>Fort Rucker requires monthly operator inspections, ... for all containers with the exception of used oil containers. Used oil, including used cooking oil, containers must be inspected by operators on a weekly basis. Operator inspections are conducted using the checklist in Appendix G [USAACE Form 2711].</i>
2b.	Have inspections been completed weekly for used oil?					
2c.	Have inspections been completed using USAACE Form 2711, SPCC Plan Container Inspection Checklist?					
2d.	Have inspection forms been turned in to DPW-ENRD monthly for all bulk oil storage containers 55-gallons and larger?					40 CFR 112.7.(e). <i>Conduct inspections and tests required by this part in accordance with written procedures that you or the certifying engineer develop for the facility.</i>  SPCC Plan Section 5.7. <i>Operator inspections are conducted using the checklist in Appendix G. Copies of these inspections must be turned in to DPW-ENRD by the 15th of the following month.</i>
2e.	Has all hydraulic equipment been inspected as part of normal maintenance operations?					SPCC Plan Section 6.11.4. <i>The operator using this equipment is responsible for checking the equipment prior to each use and when any problems are encountered. Mobile hydraulic equipment is inspected and any required maintenance is performed on an annual basis at a minimum.</i>
2f.	Are adequate spill response supplies (i.e., absorbents, spill kits) available?					SPCC Plan Section 5.1. <i>At all sites, such as shops, airfields and stagefields, spill kits are located near storage areas and can be easily accessed within a reasonable time to be effective in spill response.</i>  ISCP Section 2.1. <i>To prevent spills everyone should: ...12. Ensure the work area has the appropriate spill kits and they are maintained and placed for easy access.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>2 - Oil &amp; Material Storage</b>		<b>POC: Julie Majors, 334-255-1657, julie.p.majors.civ@mail.mil</b>				
	Question	YES	NO	NA	Comments	Citation
2g.	Have all spills of any type of oil, regardless of container size or type, been appropriately cleaned (i.e., no visible oil/product near the container, on the container surface, or in secondary containment)?					<p>ISCP Appendix A / USAACE Form 2719, Site Specific Spill Plan. <i>Remove the source of the spill. Envelop spilled material on ground. Absorb spilled material; clean up soil. Containerize used absorbent &amp; soil. Transmit a report of the spill.</i></p> <p>40 CFR 112.8(c)(10) <i>Promptly correct visible discharges which result in a loss of oil from the container, including but not limited to seams, gaskets, piping, pumps, valves, rivets, and bolts. You must promptly remove any accumulations of oil in diked areas.</i></p>
2h.	Does the EO have access to the Installation Spill Contingency Plan (ISCP) (either in hard-copy or electronically)?					<p>ISCP Section 1. <i>A copy of the ISCP will be available at each site that stores, handles, or transfers oil or hazardous substances for which there is a reasonable possibility of a significant spill. ...If an organization does not have access to the website, a hard copy should be kept at the facility.</i></p>
2i.	Does the EO have access to the Spill Prevention, Control, and Countermeasures (SPCC) Plan (either in hard-copy or electronically)?					<p>SPCC Section 3.3.1. <i>Specific responsibilities [of the EO include]:</i></p> <ul style="list-style-type: none"> <li>• <i>Implementation of unit-specific Standard Operating Procedures (SOPs) as those procedures relate to the Fort Rucker SPCC Plan;</i></li> <li>• <i>Training of unit personnel on issues relating to the Fort Rucker SPCC Plan and unit-specific SOPs (e.g., reporting, proper Chain-of-Command notification);</i></li> <li>• <i>Acquisition, organization, storage and maintenance of supplies/equipment for the clean-up of small spills;</i></li> <li>• <i>Response to spills occurring within the organization, ensuring the most efficient spill diversion/containment possible;</i></li> <li>• <i>Completion of initial and annual spill response training conducted under the auspices of the DPW-ENRD;</i></li> <li>• <i>Maintain working knowledge of Fort Rucker's SPCC Plan as provided for in the Environmental Officer Course;</i></li> <li>• <i>Satisfy all reporting protocols for releases as specified in the Fort Rucker SPCC Plan; and</i></li> <li>• <i>Perform inspections of organization operations to ensure compliance and conformance with environmental plans.</i></li> </ul>
2j.	Have all personnel received SPCC plan training appropriate for their positions?					<p>(This row shares the citation text from the previous row.)</p>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>2 - Oil &amp; Material Storage</b>		<b>POC: Julie Majors, 334-255-1657, julie.p.majors.civ@mail.mil</b>				
	Question	YES	NO	NA	Comments	Citation
2k.	Is an updated copy of USAACE Form 2719, Site-Specific Spill Plan, available on-site, as required?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<p>USAACE Form 2719, Site Specific Spill Plan Cover Page. Post [the title page of the Site Specific Spill Plan] prominently at each hazardous waste satellite accumulation point, 90-Day HW Site, Hazardous Material Storage Area, and SPCC Container Storage Area.</p> <p>USAACE Form 2719 Section 5. At a minimum, this plan will be updated annually.</p>
<i>Container / Storage</i>						
2l.	Are containers of used oil in good condition (no holes, rust, dents, leaks, etc.)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		40 CFR 279.22(b)(1). <i>In good condition (no severe rusting, apparent structural defects or deterioration); and (2) Not leaking (no visible leaks).</i>
2m.	Are containers of new products in good condition (no holes, rust, dents, leaks, etc.)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		SPCC Plan Section 5.7. <i>The inspection checklist covers container condition, container labeling, evidence of spills/leaks and associated cleanup measures, valve closure, gauge functioning, condition of secondary containment, containment valve closure, and collection of rainwater or product in containment structure.</i>
2n.	Are containers of used oil clearly labeled as to content?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		40 CFR 279.22(c)(1). <i>Containers and aboveground tanks used to store used oil at generator facilities must be labeled or marked clearly with the words "Used Oil."</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>2 - Oil &amp; Material Storage</b>		<b>POC: Julie Majors, 334-255-1657, julie.p.majors.civ@mail.mil</b>				
	Question	YES	NO	NA	Comments	Citation
2o.	Are containers of new products labeled as to content?					<p>SPCC Plan Section 5.7. <i>The inspection checklist covers container condition, container labeling, evidence of spills/leaks and associated cleanup measures, valve closure, gauge functioning, condition of secondary containment, containment valve closure, and collection of rainwater or product in containment structure.</i></p> <p>29 CFR 1910.1200(f)(6). Except as provided in paragraphs (f)(7) and (f)(8) of this section, the employer shall ensure that each container of hazardous chemicals in the workplace is labeled, tagged or marked with either:  <i>(i) The information specified under paragraphs (f)(1)(i) through (v) of this section for labels on shipped containers [i.e., (i) Product identifier; (ii) Signal word; (iii) Hazard statement(s); (iv) Pictogram(s); (v) precautionary statement(s)]; or, (ii) Product identifier and words, pictures, symbols, or combination thereof, which provide at least general information regarding the hazards of the chemicals, and which, in conjunction with the other information immediately available to employees under the hazard communication program, will provide employees with the specific information regarding the physical and health hazards of the hazardous chemical.</i></p>
2p.	Are containers sealed/closed when not in use?					<p>SPCC Plan Section 5.11. <i>All valves, fill ports, lids and any other openings are sealed and/or closed when not in use during product transfer activities.</i></p>
2q.	Is secondary containment large enough to contain the volume of the largest container plus rainwater?					<p>40 CFR 112.8(c)(2). <i>Construct all bulk storage tank installations (except mobile refuelers and other non-transportation-related tank trucks) so that you provide a secondary means of containment for the entire capacity of the largest single container and sufficient freeboard to contain precipitation.</i></p>
2r.	Is secondary containment sufficiently impervious to contain spills/leaks (i.e., no cracks, visible vegetation, etc.)?					<p>40 CFR 112.8(c)(2). <i>You must ensure that diked areas are sufficiently impervious to contain discharged oil.</i></p>

**ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST**

The proponent is DPW-ENRD

2 - Oil & Material Storage		POC: Julie Majors, 334-255-1657, julie.p.majors.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
2s.					40 CFR 112.8(c)(10). Promptly correct visible discharges which result in a loss of oil from the container, including but not limited to seams, gaskets, piping, pumps, valves, rivets, and bolts. You must promptly remove any accumulations of oil in diked areas.	
2t.					<p>40 CFR 112.8(c)(3). Not allow drainage of uncontaminated rainwater from the diked area into a storm drain or discharge of an effluent into an open watercourse, lake, or pond, bypassing the facility treatment system unless you: (i) Normally keep the bypass valve sealed closed. (ii) Inspect the retained rainwater to ensure that its presence will not cause a discharge as described in 40 CFR 112.1(b). (iii) Open the bypass valve and reseal it following drainage under responsible supervision; and (iv) Keep adequate records of such events, for example, any records required under permits issued in accordance with 40 CFR 122.41(j)(2) and 122.41(m)(3) of this chapter.</p> <p>SPCC Section 5.8. Installation personnel drain rainwater from containment areas through normally locked manually activated valves. Prior to release, personnel inspect the water to ensure that no oil or other harmful substance will be drained along with the water. If oil is present, DPW- ENRD is contacted to take appropriate action for reporting and cleanup. After draining procedures are completed, all gate valves are returned to the closed position. Personnel maintain a drain log recording when rainwater is released from the containment areas (See Appendix F for sample log).</p>	

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

2 - Oil & Material Storage		POC: Julie Majors, 334-255-1657, julie.p.majors.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
2u.	Is secondary containment valve kept closed?					40 CFR 112.8(c)(3) <i>Not allow drainage of uncontaminated rainwater from the diked area into a storm drain or discharge of an effluent into an open watercourse, lake, or pond, bypassing the facility treatment system unless you: (i) Normally keep the bypass valve sealed closed. (ii) Inspect the retained rainwater to ensure that its presence will not cause a discharge as described in 40 CFR 112.1(b). (iii) Open the bypass valve and reseal it following drainage under responsible supervision; and (iv) Keep adequate records of such events, for example, any records required under permits issued in accordance with 40 CFR 122.41(j)(2) and 122.41(m)(3) of this chapter.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

3 - Washracks		POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
3a.					40 CFR 110.4. <i>Addition of dispersants or emulsifiers to oil to be discharged that would circumvent the provisions of this part is prohibited.</i>	
3b.					AR 200-1 Sect 4-2.e.(1)(c) <i>Control or eliminate sources of pollutants and contaminants to protect water bodies and groundwater.</i>  ENV-WA004, Section 5.1.8, 5.2.6, 5.3.7. <i>Ensure that solvents, fuels or other hazardous materials are not stored on or released in to the washrack.</i>  ENV-WA004, Section 5.1.10, 5.2.8, 5.3.9. <i>No maintenance or refueling/defueling of vehicles, aircraft, or equipment will be performed on the wash rack.</i>	
3c.					AR 420-1 Sect 23-24.e. <i>Periodic inspections should be made of nondomestic wastewater sources (for example, laboratories, boiler plants, cooling towers, photographic developing facilities, oil/water separators, and other small treatment systems) to ensure that prohibited wastes are not being disposed into the wastewater collection system or, if authorized, then not in prohibited amounts.</i>  ENV-WA004, Section 5.1.2, 5.3.3, 5.4.1. <i>Inspect the washrack once a week (for shared washrack facilities, the predominant user will be overall responsible for inspections) utilizing USAACE Form 2712, Washrack Inspection Checklist.</i>	
3d.					ENV-WA004, Section 5.3.6. <i>Ensure that all trash and debris is removed from the washrack after washing vehicles or equipment.</i>	



## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

3 - Washracks		POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
3e.	Is the OWS functional?					ENV-WA004 Section 5.1.2, 5.4.1. <i>Inspect the wash rack once a week (for shared wash rack facilities, the predominant user will be overall responsible for inspections) utilizing USAACE Form 2712, Washrack Inspection Checklist. Call in a Demand Maintenance Order (255-9041) if the wash rack or oil water separator appears to not be functioning properly.</i>
3f.	Is the OWS free of foreign debris and trash?					AR 420-1 Sect 23-18.g. <i>Prevention and control of surface and ground water pollution, including oil/water separators will be in accordance with AR 200-1.</i>  AR 200-1 Sect 4-e.(1)(c) <i>Control or eliminate sources of pollutants and contaminants to protect water bodies and groundwater</i>
3g.	Can the activity explain or show evidence of how personnel are trained to know proper washrack procedures and to ensure that they do not introduce improper substances into the washrack?					ENV-WA004 Section 5.1.3, 5.2.2, 5.3.2 <i>Ensure personnel using the washrack are instructed on proper usage procedures (review of this work instruction and on-site familiarization).</i>
3h.	Is the valve positioned to discharge to storm drain when not washing aircraft or other equipment? Is valve positioned to oil/water separator when washing aircraft or other equipment?					ENV-WA004 Section 5.1.7. <i>For wash racks that have diversion valves, ensure they are positioned for proper operation in accordance with posted instructions near the valve: When wash racks are not being utilized for washing, the valves will be positioned to cause the runoff to flow into the storm drain system. While washing, the valves will be positioned to cause the flow to discharge to the oil water separator.</i>
3i.	Is the washrack free of evidence that aircraft/vehicle maintenance is being performed on the washrack (i.e., parts left lying around, oil products, etc.)?					ENV-WA004, Section 5.1.10, 5.2.8, 5.3.9. <i>No maintenance or refueling/defueling of vehicles, aircraft, or equipment will be performed on the wash rack.</i>
3j.	Is the washrack free of improperly stored containers or products in the washrack area (i.e., unlabeled, open, bad condition, etc.)?					AR 200-1 Sect 4-2.e.(1)(c) <i>Control or eliminate sources of pollutants and contaminants to protect water bodies and groundwater.</i>  ENV-WA004 5.1.8, 5.2.6, 5.3.7. <i>Ensure that solvents, fuels or other hazardous materials are not stored on or released in to the washrack.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>3 - Washracks</b>		<b>POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil</b>				
	Question	YES	NO	NA	Comments	Citation
3k.	Is the facility free of evidence that aircraft, vehicle, or equipment washing activities are being performed off the washrack?					SWPPP, Section 6.7.2. <i>All washing or rinsing activities associated with mission or industrial processes must occur at an approved washrack.</i>
3l.	Is the washrack free of evidence that aircraft, vehicle, or equipment fueling activities are being performed on the washrack?					ENV-WA004, Section 5.1.10, 5.2.8, 5.3.9. <i>No maintenance or refueling/defueling of vehicles, aircraft, or equipment will be performed on the wash rack.</i>
3m.	Are hoses/faucets turned off (and not leaking) when not actively washing vehicles, equipment, or aircraft?					ENV-WA004 Section 5.1.9, 5.2.7, 5.3.8. <i>Ensure hoses and faucets are not leaking or running when not actively washing aircraft or vehicles. If leaking, notify the Demand Maintenance Order Section at 255-9041.</i>
3n.	Is a copy of the organization's NPDES permit available for review?					ENV-WA004 Section 5.3.10. <i>All organizations/units that are required by ADEM rules to maintain their own NPDES permit must submit a copy of the permit to the Environmental and Natural Resources Division. DPW-ENRD must be notified immediately if there is a violation of the existing permit for the facility as it is located within the confines of Fort Rucker. The organization is responsible for maintaining compliance with their permit and any applicable reporting.</i>
3o.	Has a copy been submitted to DPW-ENRD?					

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

4 - 90-HWAS		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
4a.	Is the 90-day hazardous waste accumulation site (90-HWAS) secured to prevent unauthorized entry?					HWMP Section 6.6. <i>Each 90-HWAS is located within a secure area. All entrances will be locked when the facilities are closed.</i>
4b.	Is signage posted around the accumulation site as required?					40 CFR 265.14(c). <i>Unless exempt under paragraphs (a)(1) and (a)(2) of this section, a sign with the legend, "Danger-Unauthorized Personnel Keep Out," must be posted at each entrance to the active portion of a facility, and at other locations, in sufficient numbers to be seen from any approach to this active portion.</i>  HWMP Section 6.6. <i>Signs are posted with the wording "DANGER – UNAUTHORIZED PERSONNEL KEEP OUT" at the entrance to each area. Signs are also posted with the wording "HAZARDOUS WASTE AREA" and "NO SMOKING" where the hazardous waste is actually stored. All signs should be legible from 25 feet away.</i>
4c.	Has the 90-HWAS Manager been formally appointed using USAACE Form 2733?					HWMP Section 3.4.b. <i>Appoint in writing military personnel, civilian or contractor supervisors as 90-HWAS and/or HWSAP managers (whichever is appropriate) using USAACE Form 2733, HWSAP and HWAS Manager Appointment Memo, for all activities within their area of responsibility that generate, manage, accumulate, store, and/or transport hazardous waste.</i>
4d.	Does the manager of the storage area have USAACE Form 2719, Site-Specific Spill Plan available at the 90-HWAS?					HWMP Section 6.10. <i>Individual activities and tenants will maintain the following records and documents:</i> <i>6.10.1 Records that must be kept in the 90-HWAS a. Site Specific Spill Plan (USAACE Form 2719) b. 90-HWAS inspection records (USAACE Form 2726)</i>
4e.	Does the manager of the storage area have 90-HWAS inspection records (USAACE Form 2726) available at the 90-HWAS?					

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

4 - 90-HWAS		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
4f.	Does the manager of the storage area have the required documents available in an accessible location (not necessarily at the 90-HWAS): Hazardous waste training records, including USAACE Form 2735					HWMP Section 6.10. <i>Individual activities and tenants will maintain the following records and documents:</i> 6.10.2 <i>Records that may be kept in a separate work area</i> a. <i>Hazardous waste training records, including USAACE Form 2735 (maintain for a minimum of three years from when the employee last worked at the facility)</i> b. <i>Fort Rucker HWMP (this document)</i> c. <i>Fort Rucker ISCP and SPCC Plan</i> d. <i>DD Form 1348-1A turn-in documents</i> e. <i>Manifests and Land Disposal Restrictions (Cairns, Shell, and Main 90-Day only)</i> f. <i>Hazardous waste profile list.</i>
4g.	Does the manager of the storage area have the required documents available in an accessible location (not necessarily at the 90-HWAS): Fort Rucker HWMP					
4h.	Does the manager of the storage area have the required documents available in an accessible location (not necessarily at the 90-HWAS): Fort Rucker ISCP and SPCC Plan					
4i.	Does the manager of the storage area have the required documents available in an accessible location (not necessarily at the 90-HWAS): DD Form 1348-1A turn-in documents					
4j.	Does the manager of the storage area have the required documents available in an accessible location (not necessarily at the 90-HWAS): Manifests and Land Disposal Restrictions (Cairns, Shell, and Main 90-Day only)					
4k.	Does the manager of the storage area have the required documents available in an accessible location (not necessarily at the 90-HWAS): Hazardous waste profile list					
4l.	Are inspections of the hazardous waste storage area being conducted at least once every 7 days using the appropriate form (USAACE Form 2726)?					ADEM Admin Code 335-14-6-.09(5). <i>The owner or operator must inspect areas where containers are stored, at least weekly, looking for leaks and for deterioration of containers and the containment system caused by corrosion or other factors. The owner or operator must also note the number and capacity of hazardous waste containers present. These inspections must be documented in accordance with rule 335-14-6-.02(6)(d).</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

4 - 90-HWAS		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
4m.	Are hazardous waste containers properly labeled with the words "HAZARDOUS WASTE"?					ADEM 335-14-3-.03(5)(a)3. <i>While being accumulated on-site, each container and tank is labeled or marked clearly with the words, "Hazardous Waste" and the EPA hazardous waste number.</i>
4n.	Are hazardous waste containers properly labeled with the description of contents?					
4o.	Are hazardous waste containers properly labeled with waste codes?					
4p.	Are hazardous waste containers properly labeled with accumulation start date?					ADEM Admin Code 335-14-3-.03(5)(a)2. <i>The date upon which each period of accumulation begins is clearly marked and visible for inspection on each container.</i>
4q.	Are all containers at Cairns, Shell, & Main Post within 60 days of accumulation start date unless notification has been sent to DPW-ENRD?					ADEM Admin Code 335-14-3-.03(5)a. <i>Except as provided in 335-14-3-.03(5)(d), (e), (f), and (g) a large quantity generator may accumulate hazardous waste which is generated on-site for 90 days or less without a permit or without having interim status, provided that [it meets listed conditions].</i>
4r.	Are all containers within 2 weeks of accumulation start date at Hanchey, Lowe, Lyster, and AMSS?					
4s.	Are all containers under 90 days from accumulation start date at the facility regardless of location?					HWMP Sect 3.6.0. <i>For Cairns, Shell, and Main Post 90-HWAS, report containers in a 90-HWAS over 60 days to DPW-ENRD. For Hanchey, Lowe, and AMSS, transfer waste to the Main Post 90-HWAS within two weeks of receipt.</i>
4t.	Are the containers used to store the hazardous waste made of or lined with materials which are compatible with the hazardous waste?					ADEM Admin Code 335-14-6-.09(3). <i>The owner or operator must use a container made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste to be stored, so that the ability of the container to contain the waste is not impaired.</i>
4u.	Are incompatible wastes appropriately segregated?					ADEM Admin Code 334-14-6-.09(8)(c). <i>A storage container holding a hazardous waste that is incompatible with any waste or other materials stored nearby in other containers, piles, open tanks, or surface impoundments must be separated from the other materials or protected from them by means of a dike, berm, wall, or other device.</i>
4v.	Are all containers closed except when adding or removing waste?					ADEM Admin Code 335-14-6-.09(4)(a). <i>A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste.</i>

**ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST**

The proponent is DPW-ENRD

4 - 90-HWAS		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
4w.					ADEM Admin Code 335-14-6-.09(2). <i>If a container holding hazardous waste is not in good condition (e.g., severe rusting, apparent structural defects) or if it begins to leak, the owner or operator must transfer the hazardous waste from this container to a container that is in good condition, or manage the waste in some other way that complies with the requirements of 335-14-6.</i>	
4x.					ADEM Admin Code 335-14-6-.09(4)(c). <i>Containers having a capacity greater than 30 gallons must not be stacked over two containers high.</i>	
4y.					ADEM Admin Code 335-14-6-.03(3). <i>All facilities must be equipped with the following, unless none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below: (a) An internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to facility personnel; (b) A device, such as a telephone (immediately available at the scene of operations) or a hand-held two-way radio, capable of summoning emergency assistance from local law enforcement, fire departments, ADEM Field Operations Division or local emergency response teams;</i>	
4z.					ADEM Admin Code 335-14-6-.03(3)(c). <i>All facilities must be equipped with the following, unless none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below: Portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas, or dry chemicals), spill control equipment and decontamination equipment;</i>	
4aa.					ADEM Admin Code 335-14-6-.03(3)(c). <i>All facilities must be equipped with the following, unless none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below: Portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas, or dry chemicals), spill control equipment and decontamination equipment;</i>	
4bb.					ADEM Admin Code 335-14-6-.03(6). <i>The owner or operator must maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.</i>	

**ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST**

The proponent is DPW-ENRD

4 - 90-HWAS		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
4cc.					ADEM Admin Code 335-14-6-.09(6)(a). <i>Container storage areas must have a containment system that is designed and operated in accordance with 335-14-6-.09(6)(b), except as otherwise provided by 335-14-6-.09(6)(c). (b)1. A base must underlie the containers which is free of cracks or gaps and is sufficiently impervious to contain leaks, spills, and accumulated precipitation until the collected material is detected and removed;</i>	
4dd.					ADEM Admin Code 335-14-6-.09(6)(a). <i>Container storage areas must have a containment system that is designed and operated in accordance with 335-14-6-.09(6)(b), except as otherwise provided by 335-14-6-.09(6)(c).</i>  ADEM Admin Code 335-14-6-.09(6)(b)3. <i>The containment system must have sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater. Containers that do not contain free liquids need not be considered in this determination;</i>	
4ee.					ADEM Admin Code 335-14-6-.09(6)(c). <i>Storage areas that store containers holding only wastes that do not contain free liquids need not have a containment system defined by 335-14-6-.09(6)(b), except as provided by 335-14-6-.09(6)(d) or provided that: 1. The storage area is sloped or is otherwise designed and operated to drain and remove liquid resulting from precipitation, or 2. The containers are elevated or are otherwise protected from contact with accumulated liquid.</i>	

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

5 - HWSAPs		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
5a.	Does the HWSAP meet the total accumulation requirements not to exceed 55-gallons of hazardous waste or 1 quart of acutely hazardous waste (of any one waste stream)?					ADEM Admin Code 334-14-3-.03(5)(c)1. A generator may accumulate as much as 55 gallons of hazardous waste or one quart of acutely hazardous waste as listed in 335-14-2-.04(2) or (4)(e) in containers at or near any point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with 335-14-3-.03(5)(a) or (d) provided he: [meets listed requirements].
5b.	Have all full containers of HW been transferred to the 90-HWAS within three days of the accumulation start date?					ADEM Admin Code 334-14-3-.03(5)(c)2. A generator who accumulates either hazardous waste or acutely hazardous waste listed in 335-14-2-.04(2) or (4)(e) in excess of the amounts listed in 335-14-3-.03(5)(c)1. at or near any point of generation must, with respect to the initial amount of waste (55 gallons of hazardous waste or one quart of acutely hazardous waste), comply within three days with 335-14-3-.03(5)(a) or other applicable provisions of Division 335-14. During the three-day period, the generator must continue to comply with 335-14-3-.03(5)(c)1.(i) and (ii). The generator must mark the container holding the initial amount of hazardous waste with the date the initial amount was reached.
5c.	Are hazardous waste containers at or near the point of generation and under the control of the operator of the process who generates the HW?					ADEM Admin Code 334-14-3-.03(5)(c)1. A generator may accumulate as much as 55 gallons of hazardous waste or one quart of acutely hazardous waste as listed in 335-14-2-.04(2) or (4)(e) in containers at or near any point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with 335-14-3-.03(5)(a) or (d) provided he: [meets listed requirements].



## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

5 - HWSAPs		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
5d.	Are the containers used to store the hazardous waste made of or lined with materials which are compatible with the hazardous waste?					<p>ADEM Admin Code 334-14-3-.03(5)(c)1. A generator may accumulate as much as 55 gallons of hazardous waste or one quart of acutely hazardous waste as listed in 335-14-2-.04(2) or (4)(e) in containers at or near any point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with 335-14-3-.03(5)(a) or (d) provided he: (i) Complies with 335-14-6-.09(2), (3), and (4)(a);</p> <p>ADEM Admin Code 335-14-6-.09(3). The owner or operator must use a container made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste to be stored, so that the ability of the container to contain the waste is not impaired.</p>
5e.	Are all containers closed except when actively adding or removing waste?					<p>ADEM Admin Code 334-14-3-.03(5)(c)1. A generator may accumulate as much as 55 gallons of hazardous waste or one quart of acutely hazardous waste as listed in 335-14-2-.04(2) or (4)(e) in containers at or near any point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with 335-14-3-.03(5)(a) or (d) provided he: (i) Complies with 335-14-6-.09(2), (3), and (4)(a);</p> <p>ADEM Admin Code 335-14-6-.09(4)(a). A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste.</p>

**ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST**

The proponent is DPW-ENRD

5 - HWSAPs		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
5f.					<p>ADEM Admin Code 334-14-3-.03(5)(c)1. A generator may accumulate as much as 55 gallons of hazardous waste or one quart of acutely hazardous waste as listed in 335-14-2-.04(2) or (4)(e) in containers at or near any point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with 335-14-3-.03(5)(a) or (d) provided he: (i) Complies with 335-14-6-.09(2), (3), and (4)(a);</p> <p>ADEM Admin Code 335-14-6-.09(2). If a container holding hazardous waste is not in good condition (e.g., severe rusting, apparent structural defects) or if it begins to leak, the owner or operator must transfer the hazardous waste from this container to a container that is in good condition, or manage the waste in some other way that complies with the requirements of 335-14-6.</p>	
5g.					<p>ADEM Admin Code 334-14-3-.03(5)(c)1. A generator may accumulate as much as 55 gallons of hazardous waste or one quart of acutely hazardous waste as listed in 335-14-2-.04(2) or (4)(e) in containers at or near any point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with 335-14-3-.03(5)(a) or (d) provided he: [meets listed requirements]. (ii) Marks his containers either with the words "Hazardous Waste" or with other words that identify the contents of the containers.</p> <p>HWMP Section 5.4.4 Hazardous waste containers must be marked clearly with the words "HAZARDOUS WASTE", a description of the contents, the hazardous waste code(s), and the EPA ID number.</p>	
5h.						
5i.						
5j.					<p>HWMP Section 3.4.b. Appoint in writing military personnel, civilian or contractor supervisors as 90-HWAS and/or HWSAP managers (whichever is appropriate) using USAACE Form 2733, HWSAP and HWAS Manager Appointment Memo, for all activities within their area of responsibility that generate, manage, accumulate, store, and/or transport hazardous waste.</p>	
5k.					<p>HWMP Section 3.4.b. Appoint in writing military personnel, civilian or contractor supervisors as 90-HWAS and/or HWSAP managers (whichever is appropriate) using USAACE Form 2733, HWSAP and HWAS Manager Appointment Memo, for all activities within their area of responsibility that generate, manage, accumulate, store, and/or transport hazardous waste.</p>	

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

5 - HWSAPs		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
5l.	Are HWSAP areas inspected at a minimum of once every week using the appropriate form (USAACE Form 2725)?					HWMP Section 5.7. <i>The HWSAP must be inspected weekly (every 7 days) using USAACE Form 2725, HWSAP Inspection Checklist.</i>
5m.	Does the manager of the HWSAP have the required documents available at the HWSAP: USAACE Form 2719, Site-Specific Spill Plan?					HWMP Section 5.9. <i>Individual activities and tenants will maintain the following records and documents:</i> 5.9.1 <i>Records that must be kept in the HWSAP a. Site Specific Spill Plan (USAACE Form 2719) first page with the location of the entire plan noted Plan b. HWSAP inspection records (USAACE Form 2725)</i>
5n.	Does the manager of the HWSAP have the required documents available at the HWSAP: HWSAP inspection records (USAACE Form 2725)?					
5o.	Does the manager of the HWSAP have the required documents available in an accessible location (not necessarily at the HWSAP): Fort Rucker HWMP?					
5p.	Does the manager of the HWSAP have the required documents available in an accessible location (not necessarily at the HWSAP): Hazardous waste training records, including USAACE Form 2735?					5.9.2 <i>Records that may be kept in a separate work area a. Complete Site Specific Spill Plan (USAACE Form 2719) b. Fort Rucker HWMP (this document) c. Hazardous waste training records, including USAACE Form 2735 (maintain for a minimum of three years from when the employee last worked at the facility) d. Fort Rucker ISCP and SPCC Plan</i>
5q.	Does the manager of the HWSAP have the required documents available in an accessible location (not necessarily at the HWSAP): Fort Rucker ISCP and SPCC Plan?					

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

6 - UW		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil					
	Question	YES	NO	NA	Comments	Citation	
6a.	Are universal waste containers of batteries (lithium, NiCd, lead acid, mercury) closed, structurally sound, compatible with the contents, and lack evidence of leakage?					ADEM Admin Code 335-14-11-.03(4)(a)1. <i>A large quantity handler of universal waste must contain any universal waste battery that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions in a container. The container must be closed, structurally sound, compatible with the contents of the battery, and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.</i>	
6b.	Are universal waste containers of pesticides closed, structurally sound, compatible with the contents, and lack evidence of leakage?					ADEM Admin Code 335-14-11-.03(4)(b)1. <i>A container that remains closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.</i>	
6c.	Are universal waste containers of mercury-containing equipment closed, structurally sound, compatible with the contents, and lack evidence of leakage?					ADEM Admin Code 335-14-11-.03(4)(c)1. <i>A large quantity handler of universal waste must place in a container any universal waste mercury-containing equipment with non-contained elemental mercury or that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions. The container must be closed, structurally sound, compatible with the contents of the device, must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions, and must be reasonably designed to prevent the escape of mercury into the environment by volatilization or any other means.</i>	

**ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST**

The proponent is DPW-ENRD

6 - UW		POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
6d.					ADEM Admin Code 335-14-11-.03(4)(d)1. <i>A large quantity handler of universal waste must contain any lamp in containers or packages that are structurally sound, adequate to prevent breakage, and compatible with the contents of the lamps. Such containers must remain closed and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.</i>	
6e.					ADEM Admin Code 335-14-11.03(5)(a) <i>Universal waste batteries (i.e., each battery), or a container or tank in which the batteries are contained, must be labeled or marked clearly with any one of the following phrases: "Universal Waste Battery(ies)", or "Waste Battery(ies)", or "Used Battery(ies)";</i>	
6f.					ADEM Admin Code 335-14-11.03(5)(b) <i>A container (or multiple container package unit), tank, transport vehicle or vessel in which recalled universal waste pesticides as described in 335-14-11-.01(3)(a)1. are contained must be labeled or marked clearly with: 1. The label that was on or accompanied the product as sold or distributed; and 2. The words "Universal Waste Pesticide(s)" or "Waste Pesticide(s)".</i>	
6g.					ADEM Admin Code 335-14-11.03(5)(d)1. <i>Universal waste mercury-containing equipment (i.e., each device), or a container in which the equipment is contained, must be labeled or marked clearly with any one of the following phrases: "Universal Waste-Mercury Containing Equipment", "Waste Mercury-Containing Equipment," or "Used Mercury-Containing Equipment." 2. A universal waste mercury-containing thermostat or container containing only universal waste mercury-containing thermostats may be labeled or marked clearly with any of the following phrases: "Universal Waste-Mercury Thermostat(s)," "Waste Mercury Thermostat(s)," or "Used Mercury Thermostat(s)."</i>	

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>6 - UW</b>		<b>POC: Misty Howell, 334-255-1024, misty.m.howell2.civ@mail.mil</b>				
	Question	YES	NO	NA	Comments	Citation
6h.	Are universal waste fluorescent bulbs stored in containers marked "Universal Waste (with the type of waste)"?					ADEM Admin Code 335-14-11.03(5)(e) <i>Each lamp or a container or package in which the lamps are contained must be labeled or marked clearly with any one of the following phrases: "Universal Waste Lamp(s)", or "Waste Lamp(s)", or "Used Lamp(s)".</i>
6i.	Is the container dated when the first waste is placed inside the container?					ADEM Admin Code 335-14-11-.03(6)(c) <i>A large quantity handler of universal waste must be able to demonstrate the length of time that the universal waste has been accumulated from the date it becomes a waste or is received. The handler may make this demonstration by: 1. Placing the universal waste in a container and marking or labeling the container with the earliest date that any universal waste in the container became a waste or was received.</i>
6j.	Have batteries been properly packaged to prevent short-circuiting (i.e., in original inner package, taped positive end, in plastic baggies)?					Fort Rucker ENV-SW002 Sect 5.2.2.2 <i>Units, organizations or contractors are responsible for ensuring that all used batteries are properly separated by Universal Waste Battery types to prevent short-circuiting during storage and transportation. Universal Waste batteries will be separated by one of the following methods:</i> <i>-placing batteries in the original inner package;</i> <i>-taping the positive end of the batteries; or,</i> <i>-by using plastic "baggies" to separate individual batteries.</i> <i>[This includes Lithium, NiCd, Mercuric-Oxide, NiMH, Silver Oxide, Silver-Zinc, Zinc-Carbon, and Zinc Air]</i>
6k.	Are all releases of universal waste and residue immediately contained and cleaned up?					ADEM Admin Code 335-14-11-.03(8)(a). <i>A large quantity handler of universal waste must immediately contain all releases of universal wastes and other residues from universal wastes.</i>
6l.	Is universal waste being accumulated for no more than 6 months from the date received?					HWMP Section 3.5.k. <i>Ensure that universal waste containers are moved to a 90-HWAS within six months of the start date.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

7 - Solid Waste		POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
<i>General Storage Requirements</i>						
7a.	Is solid waste stored in a manner that does not create a nuisance, health hazard, or food/harborage for vermin and vectors; result in litter or contamination of water?					ADPH Admin Code 420-3-5-.10(2). <i>All solid waste shall be stored in a manner that does not constitute a nuisance or health hazard or provide food or harborage for vermin or vectors, and shall be contained or bundled so as not to result in litter or the contamination of ground or surface water.</i>
7b.	Is the area around the solid waste collection containers maintained in a sanitary manner?					ADPH Admin Code 420-3-5-.10(8). <i>The site where solid waste storage containers are located shall be adequately maintained in a sanitary manner which shall include, but not be limited to, the following: (a) Regular cleaning of the site and containers. (b) The prompt remediation of spillage or leakages of solid, semi-solid, or liquid waste. (c) The control of vegetation on and around the site. (d) Vermin and vector control on the site and in the containers.</i>
7c.	Has the organization reported to the DPW COR any solid waste collection containers that are not available in adequate quantities or are in poor condition?					ADPH Admin Code 420-3-5-.10(3). <i>Storage systems for solid waste shall include containers of adequate size and strength, and in sufficient numbers, to contain all solid waste that each person generates in the period of time between collections or disposal.</i>  ADPH Admin Code 420-3-5-.10(5). <i>Garbage or rubbish containing garbage shall be stored in: (a) Rigid containers that are of a size to accommodate the waste generated and that are durable, rust resistant, washable, nonabsorbent, watertight, and vermin proof. The container shall be easy to clean and fixed with close fitting fly-tight lids or covers. The containers shall be constructed in a manner to facilitate handling.</i>
7d.	Is the organization participating in the installation recycling program?					AR 200-1, Sect 10-2.a.(3). <i>Minimize solid waste generation and disposal, and maximize recovery, recycling, and reuse through pollution prevention actions.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>7 - Solid Waste</b>		<b>POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil</b>				
	Question	YES	NO	NA	Comments	Citation
7e.	Have potentially hazardous waste streams been evaluated to determine if they are a hazardous waste and managed appropriately based on that determination?					40 CFR 262.11. <i>A person who generates a solid waste, as defined in 40 CFR 261.2, must determine if that waste is a hazardous waste. (d) If the waste is determined to be hazardous, the generator must refer to parts 261, 264, 265, 266, 267, 268, and 273 of this chapter for possible exclusions or restrictions pertaining to management of the specific waste.</i>
7f.	Are all used materials and non-regulated wastes identified in the Hazardous Waste Management Plan stored in accordance with Fort Rucker procedures?					HWMP Section 11. <i>The following sections describe specific management procedures for hazardous wastes, universal wastes, and non-hazardous wastes that are commonly encountered during daily operations at Fort Rucker. [Refer to HWMP for specific guidelines.]</i>
7g.	Does the EO have access to the Integrated Solid Waste Management Plan (ISWMP) (either in hard-copy or electronically)?					ISWMP Section 4.17. <i>Specific responsibilities [of the EO] include:</i> 1. <i>Ensure no prohibited items are placed in the trash containers at assigned facilities. Check daily for improper disposal of prohibited items in all waste containers.</i> 2. <i>Emphasize waste reduction, recycling, and green purchasing within each organization. Ensure recyclables are segregated prior to placing trash in dumpsters to ensure maximum recycling potential.</i> 3. <i>Act as the organization recycling coordinator to organize recycling efforts and coordinate with the environmental office regarding solid waste management, recycling, green purchasing, and pollution prevention.</i>
<b>Scrap Tire Requirements</b>						
7h.	If 10 or more scrap tires are generated during the year, does the organization have a copy of their receiver registration?					ADEM Admin Code 335-4-3-.01 (2). <i>The following scrap tire facilities are required to register with ADEM using ADEM Form 537: (a) Class One and Class Two Receivers.</i>
7i.	Are less than 1,500 scrap tires accumulated for Class I receivers and less than 300 scrap tires accumulated for Class II receivers?					ADEM Admin Code 335-4-4-.01 (2). <i>A Class One Receiver may be registered to accumulate no more than 1,500 scrap tires. (3) A Class Two Receiver may be registered to accumulate no more than 300 scrap tires.</i>



## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

7 - Solid Waste		POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil				
Question		YES	NO	NA	Comments	Citation
7j.	Have scrap tires been exposed to the elements for less than 7 days?					<p>ADEM Admin Code 335-4-4-.01 (1). <i>No person may expose accumulated scrap tires to the elements for more than thirty (30) days.</i></p> <p>ADEM Admin Code 335-4-5-.01(2). <i>No receiver may expose scrap tires to the elements for more than thirty (30) days. If scrap tires are exposed to the elements for more than seven (7) days, a Vector Control Plan shall be prepared and implemented.</i></p>
7k.	Have all shipments of tires been manifested on ADEM Form 536 and are they available for inspection?					ADEM Admin Code 335-4-4-.05(b). <i>A receiver who transports, or offers for transportation, more than ten (10) scrap tires per year for off-site processing or disposal shall complete a manifest for each shipment.</i>
7l.	Does the organization have copies of scrap tire quarterly reports submitted on ADEM Form 539?					ADEM Admin Code 335-4-5-.03. <i>A receiver shall submit a scrap tire quarterly report, utilizing ADEM Form 539, for each quarter of the calendar year (January through March, April through June, July through September, and October through December). All reports shall be submitted to ADEM by the 28th day following the end of each reporting period.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

7 - Solid Waste		POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
7m.	Does the organization have all required documents for the scrap tire receiver operating record and maintain the record for at least three years?					<p>ADEM Admin Code 335-4-5-.04. <i>An operating record for the receiver shall be maintained at the facility or in an alternate location approved by ADEM. (a) The following information shall be placed in the operating record as it becomes available: 1. Copies of the ADEM registration approval. 2. Registration application. 3. Appropriate information on all vehicles transporting tire materials, to include vehicle identification number, make/model, and license number, and decal numbers assigned to those vehicles. 4. Reports or documentation generated during the normal operation of the receiving facility including, but not limited to:</i></p> <p><i>(i) Manifests of tires or tire materials received or shipped. (ii) Quarterly Reports utilizing ADEM Form 539.</i></p> <p><i>(iii) Arrangement for fire protection services, if applicable.</i></p> <p><i>(iv) Vector Control Plan as referenced in 335-4-1-.04(5).</i></p> <p><i>(v) Any other report or document generated in the normal operation of the facility that is submitted to ADEM.</i></p> <p><i>(b) Information contained in the operating record shall be retained for at least three (3) years. Records relating to a violation or enforcement action shall not be removed from the operating record until these matters are resolved.</i></p>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

8 - Stormwater - Construction		POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
8a.	Do construction projects at this location disturbing 1 acre or more of land have a NPDES Permit Notice of Intent (NOI) from ADEM?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		NPDES General Permit ALR100000, Part I A. <i>This permit authorizes, subject to the conditions of this permit, discharges associated with construction activity that will result in land disturbance equal to or greater than one (1) acre or from construction activities involving less than one (1) acre and which are part of a common plan of development or sale equal to or greater than one (1) acre occurring on or before and continuing after the effective date of this permit, except for discharges identified under Part I.C. of the permit.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>8 - Stormwater - Construction</b>					<b>POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil</b>	
	<b>Question</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>Comments</b>	<b>Citation</b>
8b.	Does the EO have access (electronic or hard-copy) to the Stormwater Pollution Prevention Plan (SWPPP) and Best Management Practices (BMP) Plan available?					<p>SWPPP Section 4.7. <i>Specific responsibilities of the EO include, but are not limited to, the following:</i></p> <ul style="list-style-type: none"> <li>• <i>Implement organization-specific good housekeeping measures, BMPs, and Standard Operating Procedures (SOPs), as those procedures relate this Plan.</i></li> <li>• <i>Ensure proper storage and management of organization hazardous materials, excess or expired hazardous materials, and waste streams per the Fort Rucker Hazardous Waste Management Plan (HWMP), Fort Rucker Hazardous Material Control Center (HMCC) SOPs, environmental work instructions, and additional guidance provided by DPW-ENRD.</i></li> <li>• <i>Ensure proper acquisition, organization, storage and maintenance of supplies/equipment for the cleanup of small spills.</i></li> <li>• <i>Respond to spills occurring within the organization's area of responsibility, and ensure the most efficient spill diversion/containment possible.</i></li> <li>• <i>Complete annual spill response training as required by the ISCP and SPCC Plan.</i></li> <li>• <i>Maintain a working knowledge of this Plan as provided for in the Environmental Officer Course.</i></li> <li>• <i>Train organization personnel about installation environmental programs, policies, and organization-specific SOPs, as well as any organizational level procedures necessary to comply with installation policies and issues relating to this Plan.</i></li> <li>• <i>Perform inspections of organization operations to ensure compliance and conformance with environmental plans.</i></li> <li>• <i>Ensure proper reporting and recordkeeping. Maintain records as listed in Section 6.6 of this Plan.</i></li> <li>• <i>Advise the commander, director, or supervisor of any environmental problems, issues, potential violations, or legalities.</i></li> </ul>
8c.	Have all personnel received training appropriate to their positions?					

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

8 - Stormwater - Construction					POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil	
	Question	YES	NO	NA	Comments	Citation
8d.	Do permitted activities have a Construction Best Management Practice Plan (CBMPP)?					NPDES General Permit ALR100000 Part III E.1. <i>Except as provided by Part II.F.2, construction activity may not commence until a CBMPP has been prepared in a format acceptable to the Department and certified by a QCP as adequate to meet the requirements of this permit.</i>
8e.	Are BMPs functioning properly?					NPDES General Permit ALR100000 Part III H 2.(a). <i>Each day there is activity at the site, the Permittee shall visually observe that portion of the construction project where active disturbance, work, or construction occurred to note any rainfall measurements occurring since the previous observation, and any apparent BMP deficiencies in the area of active disturbance.</i>
8f.	Are the stormwater outfalls at this location free of silt discharges?					NPDES General Permit ALR100000 Part III H 3(a). <i>A site inspection shall consist of a complete and comprehensive observation of the entire construction site including all areas of land disturbance, areas used for storage of materials that are exposed to precipitation, equipment storage and maintenance areas, affected ditches and other stormwater conveyances, as well as all outfalls, receiving waters and stream banks to determine if, and ensure that: (i) Effective erosion controls and sediment controls have been fully implemented and maintained in accordance with this permit, the site CBMPP, and the Alabama Handbook; (ii) Pollutant discharges are being prevented/ minimized, and (iii) Discharges do result in a contravention of applicable State water quality standards for the receiving stream(s) or other waters impacted or affected by the Permittee.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>8 - Stormwater - Construction</b>					<b>POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil</b>	
	<b>Question</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>Comments</b>	<b>Citation</b>
8g.	Are inspections of the site being performed and documented on a regular basis?					NPDES General Permit ALR100000 Part III H 3(a) - (i). A <i>site inspection shall consist of a complete and comprehensive observation of the entire construction site including all areas of land disturbance, areas used for storage of materials that are exposed to precipitation, equipment storage and maintenance areas, affected ditches and other stormwater conveyances, as well as all outfalls, receiving waters and stream banks to determine if, and ensure that: (i) Effective erosion controls and sediment controls have been fully implemented and maintained in accordance with this permit, the site CBMPP, and the Alabama Handbook; (ii) Pollutant discharges are being prevented/ minimized, and (iii) Discharges do result in a contravention of applicable State water quality standards for the receiving stream(s) or other waters impacted or affected by the Permittee.</i>
8h.	If the construction project requiring an NOI is complete, has a Notice of Termination (NOT) been submitted to ADEM (after review and concurrence from the Environmental Division)?					NPDES General Permit ALR100000 Part IV S. 1. <i>The Permittee must submit a Notice of Termination (NOT) in a format acceptable to the Department within thirty (30) days of one of the following conditions: (a) Final stabilization as defined in Part V has been achieved on all portions of the site; (b) Another operator has assumed control over all areas of the site that have not achieved final stabilization and the new operator has submitted an NOI for coverage under this permit; or (c) Coverage under an individual permit or alternative general permit has been obtained. 2. The NOT shall include: (a) The Permittee name, permit number, and location of the site, and (b) Certification by the Permittee and the QCP that all construction activity covered by this permit has been completed and final stabilization has been achieved, or (c) Identification, including complete contact information, of the person that has assumed legal or operational control over the construction site.</i>
8i.	Are stormwater outfalls and discharges free from evidence of discharge or oils or other regulated materials/wastes?					Fort Rucker Permit Number AL0002178. <i>All stormwater discharges must be free of sheen and visible oil, floating solids, or visible foam in other than trace amounts.</i>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

9 - Stormwater - Industrial		POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
9a.	Are stormwater outfalls and discharges free from evidence of discharge or oils or other regulated materials/wastes?					Fort Rucker Permit Number AL0002178. <i>All stormwater discharges must be free of sheen and visible oil, floating solids, or visible foam in other than trace amounts.</i>
9b.	Is preventive maintenance performed on equipment as specified in the SWPPP and BMP Plan?					<p>SWPPP and BMP Plan, Section 6.2. <i>Preventive maintenance BMPs include the following activities:</i></p> <ul style="list-style-type: none"> <li>• <i>Examine equipment, operational systems and stormwater control devices for proper operation.</i></li> <li>• <i>Conduct equipment maintenance as prescribed by applicable technical manuals.</i></li> <li>• <i>Repair or replace damaged, broken, defective, or outdated equipment and systems.</i></li> <li>• <i>Inspect OWS for build-up of oils, fuels, and sediments. If separators must be cleaned, take the appropriate steps to schedule cleaning as defined in ENV-WA004, Washrack and Oil Water Separator Operation and Maintenance.</i></li> <li>• <i>Schedule periodic tests of tanks, pumps, and piping at bulk fuel storage areas as specified within the SPCC Plan.</i></li> <li>• <i>Maintain records on inspections and testing of equipment and systems.</i></li> </ul>

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

<b>9 - Stormwater - Industrial</b>		<b>POC: Philip Anderson, 334-255-1658, philip.t.anderson.civ@mail.mil</b>				
<b>Question</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>Comments</b>	<b>Citation</b>	
9c.	Are secondary containment areas inspected following each rain event and any discharges of collected water document on USAACE Form 2716?				SWPPP and BMP Plan, Section 6.3. <i>After each significant rain event, operators inspect secondary containment areas to ensure that no POL or other hazardous materials are released to the environment with the collected stormwater. These inspections are documented on USAACE Form 2716, Secondary Containment Draining Activity Log.</i>	
9d.	Are spill prevention and response BMPs implemented in a manner to be protective of stormwater?				<p>SWPPP and BMP Plan, Section 6.4. <i>The following spill prevention and response BMPs are required to be implemented to identify, reduce, and eliminate spills.</i></p> <ul style="list-style-type: none"> <li>• <i>Provide leak detection devices and overflow controls as specified in the SPCC Plan;</i></li> <li>• <i>Store all containers of oil 55-gallons or larger and all containers of liquid hazardous waste with adequate secondary containment;</i></li> <li>• <i>Use material transfer procedures that reduce the chance of leaks or spills;</i></li> <li>• <i>Ensure spill response equipment is easily accessible and all personnel are familiar with its location; and</i></li> <li>• <i>Inspect containers as specified within the SPCC Plan and Hazardous Waste Management Plan.</i></li> </ul>	



## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

Air Quality		POC: Al Townsend, 334-255-1659, alfred.t.townsend.civ@mail.mil				
	Question	YES	NO	NA	Comments	Citation
10a.	Are all aerospace paint booth manometers currently in good working order?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		40 CFR 63.751 (c). <i>Dry particulate filter, HEPA filter, and waterwash systems - primer, topcoat, and specialty coating application operations. (1) Each owner or operator using a dry particulate filter system to meet the requirements of 40 CFR 63.745(g)(2) shall, while primer, topcoat, and specialty coating application operations are occurring, continuously monitor the pressure drop across the system and read and record the pressure drop once per shift following the recordkeeping requirements of 40 CFR 63.752(d), or install an interlock system as specified in 40 CFR 63.745(g)(2)(iv)(C).</i>
10b.	Is there a log for recording daily pressure readings at each aerospace paint booth?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

**ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST**

The proponent is DPW-ENRD

Air Quality		POC: Al Townsend, 334-255-1659, alfred.t.townsend.civ@mail.mil			
Question	YES	NO	NA	Comments	Citation
10c.					<p>40 CFR 63.752 (c) (2). For uncontrolled primers, topcoats, and specialty coatings that meet the organic HAP and VOC content limits in 40 CFR 63.745(c)(1) through (c)(6) without averaging:</p> <p>(i) The mass of organic HAP emitted per unit volume of coating as applied (less water) (Hi) and the mass of VOC emitted per unit volume of coating as applied (less water and exempt solvents) (Gi) for each coating formulation within each coating category used each month (as calculated using the procedures specified in 40 CFR 63.750(c) and (e));</p> <p>(ii) All data, calculations, and test results (including EPA Method 24 results) used in determining the values of Hi and Gi; and</p> <p>(iii) The volume (gal) of each coating formulation within each coating category used each month.</p> <p>40 CFR 63.752 (c) (3). For "low HAP content" uncontrolled primers with organic HAP content less than or equal to 250 g/l (2.1 lb/gal) less water as applied and VOC content less than or equal to 250 g/l (2.1 lb/gal) less water and exempt solvents as applied:</p> <p>(i) Annual purchase records of the total volume of each primer purchased; and</p> <p>(ii) All data, calculations, and test results (including EPA Method 24 results) used in determining the organic HAP and VOC content as applied. These records shall consist of the manufacturer's certification when the primer is applied as received, or the data and calculations used to determine Hi if not applied as received.</p> <p>40 CFR 63.752 (c) (4). (4) For primers, topcoats, and specialty coatings complying with the organic HAP or VOC content level by averaging:</p> <p>(i) The monthly volume-weighted average masses of organic HAP emitted per unit volume of coating as applied (less water) (Ha) and of VOC emitted per unit volume of coating as applied (less water and exempt solvents) (Ga) for all coatings (as determined by the procedures specified in 40 CFR 63.750(d) and (f)); and</p> <p>(ii) All data, calculations, and test results (including EPA Method 24 results) used to determine the values of Ha and Ga.</p>

**ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST**

The proponent is DPW-ENRD

Air Quality		POC: Al Townsend, 334-255-1659, alfred.t.townsend.civ@mail.mil				
Question	YES	NO	NA	Comments	Citation	
10d. Are solvent containers, including parts washers, BECCA cleaners, and original product containers, kept close when not in use?					<p>40 CFR 63.751 (a): <i>Enclosed spray gun cleaners. Each owner or operator using an enclosed spray gun cleaner under 40 CFR 63.744(c)(1) shall visually inspect the seals and all other potential sources of leaks associated with each enclosed gun spray cleaner system at least once per month. Each inspection shall occur while the system is in operation.</i></p> <p>40 CFR 63.744 Standards: <i>Cleaning operations.</i></p> <p>(a) <i>Housekeeping measures. Each owner or operator of a new or existing cleaning operation subject to this subpart shall comply with the requirements in these paragraphs unless the cleaning solvent used is identified in Table 1 of this section or or meets the definition of "Non-HAP material" in 40 CFR 63.742.</i></p> <p>(1) <i>Unless the owner or operator satisfies the requirements in paragraph (a)(4) of this section, place used solvent-laden cloth, paper, or any other absorbent applicators used for cleaning in bags or other closed containers. Ensure that these bags and containers are kept closed at all times except when depositing or removing these materials from the container. Use bags and containers of such design so as to contain the vapors of the cleaning solvent. Cotton-tipped swabs used for very small cleaning operations are exempt from this requirement. (2) Unless the owner or operator satisfies the requirements in paragraph (a)(4) of this section, store fresh and spent cleaning solvents, except semi-aqueous solvent cleaners, used in aerospace cleaning operations in closed containers.</i></p>	

## ENVIRONMENTAL COMPLIANCE INSPECTION CHECKLIST

The proponent is DPW-ENRD

ORGANIZATION:  
PHONE:  
POC:  
DATE:

BUILDING(S):  
SUPERVISOR / COMMANDER:  
INSPECTOR:

<b>No Negative Findings</b>		<b>POC: Melissa Lowlavar, 334-255-1653, melissa.g.lowlavar3.civ@mail.mil</b>				
	<b>Question</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>Comments</b>	<b>Citation</b>
11a.	No negative findings were identified during this inspection.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Please contact DPW-ENRD with any questions regarding this inspection.